

CHANNEL MODELING OF MULTILAYER DIFFUSION-BASED MOLECULAR
NANO COMMUNICATION SYSTEM

SAIZALMURSIDI BIN MD MUSTAM



PTTA UTHM
PERPUSTAKAAN TUNKU TUN AMINAH

A thesis submitted in fulfilment of the
requirements for the award of the degree of
Doctor of Philosophy (Electrical Engineering)

Faculty of Electrical Engineering
Universiti Teknologi Malaysia

AUGUST 2016

To my beloved father, mother, wife and sons for their endless love, encouragement and support.



PTTA UTHM
PERPUSTAKAAN TUNKU TUN AMINAH

ACKNOWLEDGEMENT

I would like to express my deepest gratitude to my supervisor, Associate Professor Dr. Sharifah Kamilah binti Syed Yusof for giving me an opportunity to work under her guidance, and for her trust, support and encouragement throughout the entire duration of my Ph.D study. I am also thankful for her unbounded energy and passion, which helped me to steadily advance towards the successful completion of this thesis.

I would also like to extend my appreciation to all staffs of the Faculty of Electrical Engineering, Universiti Teknologi Malaysia (UTM) Skudai, who have involved directly or indirectly throughout the period of my Ph.D study. In particular, I would like to sincerely thanks Professor Dr. Norshiela binti Fisal for her invaluable comments, advises and motivation which have helped me to achieve a solid research path towards this thesis. To all my colleagues and fellow researchers in the UTM-MIMOS Telecommunication Technology Research Group, thank you for the unique atmosphere, constant support and true friendship we have had during my research period.

I would also like to thank the Ministry of Higher Education, Malaysia, and the University Tun Hussein Onn Malaysia (UTHM) for the financial support provided in the form of a doctoral scholarship and monthly allowances.

Special thanks are due to my parents, Md Mustam bin Marzuki and Sa'emah binti Ngadi, my wife Fazlina binti Yunus and my sons Muhammad Sadiq and Muhammad Faqih, for their understanding, patience, encouragement, support and love.

Last but not least, I would like to thank the developers of the utmthesis \LaTeX project for making the thesis writing process a lot easier for me. Thanks to them, I could focus on the content of the thesis, and not waste time with formatting issues. Those guys are awesome.

ABSTRACT

In nanoscale communication, diffusion-based molecular communication (DBMC) in which information is encoded into molecule patterns by a transmitter nanomachine, has emerged as a promising communication system, particularly for biomedical and healthcare applications. Although, numerous studies have been conducted to evaluate and analyze DBMC systems, investigation on DBMC system through a multilayer channel has received less attention. The aims of this research are to mathematically model a closed-form expression of mean molecular concentration over multilayer DBMC channel, to formulate channel characteristics, and to conduct performance evaluation of multilayer DBMC channel. In the mathematical model, the propagation of molecules over an n -layer channel is assumed to follow the Brownian motion and subjected to Fick's law of diffusion. The partial differential equation (PDE) of the time rate change of molecular concentration is obtained by modeling the n -layer channel as an n -resistor in series and considering the conservation law of molecules. Fourier transform and Laplace transform were used to obtain the solution for the PDE, which represents the mean molecular concentration at a receiver nanomachine. In the formulation, channel characteristics such as impulse response, time delay, attenuation or the maximum peak, delay spread and capacity were analytically obtained from the mean molecular concentration. In this stage, the multilayer channel is considered as a linear and deterministic channel. For the performance evaluation, the air-water-blood plasma medium representing the simplified multilayer diffusion model in the respiratory system was chosen. It was found that both analytical and simulation results of mean molecular concentration using Matlab and N3Sim were in good agreement. In addition, the findings showed that the higher the average diffusion coefficient resulted in a smaller dispersion of channel impulse response, and shortened the channel delay spread as well as time delay. However, the channel attenuation remains unchanged. In the performance evaluation, an increase of 100% in the transmission distance increased the time delay by 300% but decreased the maximum peak of molecular concentration by 87.5%. A high channel capacity can be achieved with wide transmission bandwidth, short transmission distance, and high average transmitted power. These findings can be used as a guide in the development and fabrication of future artificial nanocommunication and nanonetwork systems involving multilayer transmission medium. Implication of this study is that modeling and analyzing of multilayer DBMC channel are important to support biomedical applications as diffusion can occur through a multilayer structure inside the human body.

ABSTRAK

Dalam komunikasi berskala nano, komunikasi berdasarkan peresapan molekul (DBMC) di mana maklumat dikodkan ke dalam pola molekul oleh pemancar mesin nano telah muncul sebagai satu sistem komunikasi berpotensi di masa hadapan, khususnya untuk aplikasi-aplikasi bio-perubatan dan penjagaan kesihatan. Walaupun banyak kajian telah dijalankan untuk menilai dan menganalisis sistem DBMC, namun kajian ke atas sistem DBMC melalui saluran banyak lapisan masih kurang mendapat perhatian. Tujuan kajian ini adalah untuk memodelkan secara matematik ungkapan tertutup bagi penumpuan purata molekul merentasi saluran DBMC banyak lapisan, pemformulaan ciri-ciri bagi saluran dan penilaian prestasi bagi saluran DBMC banyak lapisan. Dalam permodelan matematik, pergerakan molekul merentasi n -lapisan saluran adalah diandaikan mengikuti gerakan Brownian dan tertakluk kepada hukum peresapan Fick. Persamaan pembezaan separa (PDE) bagi penumpuan purata molekul berubah terhadap masa diperoleh dengan memodelkan n -lapisan saluran sebagai n -peringkat secara sesiri dan mempertimbangkan hukum keabadian molekul. Jelmaan Fourier dan jelmaan Laplace telah digunakan untuk mendapatkan penyelesaian bagi PDE, yang mewakili penumpuan purata molekul di penerima mesin nano. Dalam pemformulaan, ciri-ciri bagi saluran seperti sambutan impuls, kelewatan masa, pelemahan atau puncak maksimum, kelewatan penyebaran dan kapasiti telah diperoleh secara analisis daripada ungkapan penumpuan purata molekul. Di peringkat ini, saluran banyak lapisan dianggap sebagai satu saluran yang linear dan berketentuan. Untuk penilaian prestasi, saluran udara-air-plasma darah yang mewakili model ringkas peresapan banyak lapisan bagi sistem respirasi telah dipilih. Di dapati bahawa kedua-dua keputusan analisis menggunakan Matlab dan simulasi menggunakan N3Sim bagi penumpuan purata molekul adalah selari. Selain itu, keputusan-keputusan ini juga menunjukkan bahawa semakin tinggi pekali resapan purata, mengakibatkan semakin kecil penyebaran sambutan impuls bagi saluran dan memendekkan kelewatan penyebaran saluran dan juga kelewatan masa. Walau bagaimanapun, pelemahan saluran adalah kekal tidak berubah. Dalam penilaian prestasi saluran DBMC banyak lapisan, penambahan jarak penghantaran sebanyak 100% meningkatkan kelewatan masa sebanyak 300% tetapi mengurangkan penumpuan puncak maksimum molekul sebanyak 87.5%. Kapasiti saluran yang tinggi boleh dicapai dengan lebar jalur penghantaran yang besar, jarak penghantaran yang pendek dan kuasa penghantaran purata yang tinggi. Dapatan kajian ini boleh digunakan sebagai panduan di dalam pembangunan dan pembuatan sistem komunikasi nano dan rangkaian nano tiruan masa depan yang melibatkan saluran penghantaran banyak lapisan. Implikasi kajian ini adalah menerusi permodelan dan penganalisan saluran DBMC banyak lapisan yang penting bagi menyokong aplikasi-aplikasi bio-perubatan memandangkan peresapan molekul boleh berlaku melalui banyak struktur lapisan di dalam tubuh manusia.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	xi
	LIST OF FIGURES	xii
	LIST OF ABBREVIATIONS	xvi
	LIST OF SYMBOLS	xvii
	LIST OF APPENDICES	xxi
1	INTRODUCTION	1
	1.1 Background	1
	1.2 Problem Statement	3
	1.3 Research Objectives	4
	1.4 Research Scopes	4
	1.5 Research Contributions	6
	1.6 Significance of Research	8
	1.7 Thesis Outline	8
2	LITERATURE REVIEW	10
	2.1 Introduction	10
	2.2 Nanocommunication and Nanonetworks	11
	2.2.1 Nano-electromagnetic Communication	13
	2.2.2 Molecular Communication	13
	2.3 Overview of Diffusion-Based Molecular Communi- cation (DBMC) System	15



2.3.1	Encoding and Transmission of Information Molecules	15
2.3.2	Propagation or Diffusion of Information Molecules	16
2.3.3	Reception and Decoding of Information Molecules	18
2.4	Related Research Works	18
2.4.1	The DBMC Channel Modeling	18
2.4.2	Multilayer Diffusion	21
2.5	Context of the Research	22
2.6	Summary	22
3	RESEARCH METHODOLOGY	24
3.1	Introduction	24
3.2	Research Procedures	25
3.2.1	Mathematical Modeling of Multilayer DBMC Channel	27
3.2.1.1	Derivation of mean molecular concentration at RN	28
3.2.1.2	Development of Simulation Model using N3Sim Simulator	29
3.2.1.3	Formulation of Multilayer DBMC Channel Impulse Response, Time Delay, Attenuation and Delay Spread	30
3.2.1.4	Derivation of Multilayer DBMC Channel Capacity	31
3.2.2	Performance Evaluation of Multilayer DBMC Channel	31
3.2.2.1	Performance Metrics	31
3.2.2.2	A Multilayer Medium Under Study	32
3.3	Analytical and Numerical Analysis Tools	34
3.4	Summary	34
4	MATHEMATICAL MODELING OF MULTILAYER DBMC CHANNEL	35
4.1	Introduction	35

4.2	Multilayer DBMC Channel Modeling	36
4.2.1	Mean Molecular Concentration over n -Layer Channel	37
4.2.2	Mean Number of Received Molecules	43
4.3	Formulation of Multilayer DBMC Channel Characteristics	44
4.3.1	Channel Impulse Response	44
4.3.2	Channel Time Delay	44
4.3.3	Channel Attenuation	45
4.3.4	Channel Delay Spread	46
4.3.4.1	Delay Spread of Impulse Transmission over Multilayer DBMC Channel	46
4.3.4.2	Spreading of a Square Pulse Transmission over Multilayer DBMC Channel	49
4.3.5	Channel Capacity	53
4.3.5.1	The Fick's Diffusion Mutual Information	54
4.3.5.2	The Capacity of Multilayer DBMC Channel	56
4.4	Summary	57

5	PERFORMANCE ANALYSIS OF MULTILAYER DBMC CHANNEL	58
5.1	Introduction	58
5.2	Channel Impulse Response, $h(r, t)$	61
5.3	Mean Molecular Concentration, $c(r, t)$	63
5.4	Mean Number of Received Molecules, $s(r, t)$	65
5.4.1	Effects of Layer Fraction, f_i on the Maximum Mean Number of Received Molecules, $s(r, t)_{max}$ and Time Delay, t_d	66
5.4.2	Effects of Transmission Distance, r on the Maximum Mean Number of Received Molecules, $s(r, t)_{max}$ and Time Delay, t_d	68
5.4.3	Effects of Total Number of Transmitted Molecules, Q_0 on the Maximum Mean Number of Received Molecules, $s(r, t)_{max}$ and Time Delay, t_d	73

5.5	Analysis of Delay Spread in Multilayer DBMC Channel	75
5.5.1	Effects of Multilayer Channel on the Channel Delay Spread, τ_h	75
5.5.2	Effects of Transmission Distance, r on the Channel Delay Spread, τ_h	78
5.5.3	Effects of Total Number of Transmitted Molecules, Q_0 on the Channel Delay Spread, τ_h	80
5.5.4	Effects of Data Rate of Transmitted Bit, $R_b = 1/T_b$ on the Pulse Spreading	82
5.6	Analysis of Capacity in Multilayer DBMC Channel	83
5.6.1	Transfer Function Fourier Transform of Channel Impulse Response, $h(r, f)$	84
5.6.2	Capacity, C versus Bandwidth, W for Different Values of Transmission Distance, r	85
5.6.3	Capacity, C versus Transmission Distance, r for Different Values of Bandwidth, W	86
5.6.4	Capacity, C versus Transmission Distance, r for Different Values of Layer Fraction, f_i	88
5.6.5	Capacity, C versus Bandwidth, W for Different Values of the Average Power Transmission, \bar{P}_H	89
5.7	Summary	90
6	CONCLUSIONS	91
6.1	Conclusions	91
6.2	Recommendations for Future Work	94
	REFERENCES	95
	Appendices A – I	104 – 137

LIST OF TABLES

TABLE NO.	TITLE	PAGE
2.1	Nano-electromagnetic versus molecular communications	13
2.2	Summary of related works on point-to-point DBMC channel model	23
5.1	Simulation parameters	59
5.2	Effects of doubling and halving of $r = 45 \mu\text{m}$ on $s(r, t)_{\max}$ and t_d	69
5.3	Channel delay spread, τ_h and pulse spreading of a square pulse transmission with $T_b = 5 \text{ s}$	77
5.4	Numerical analysis parameters	83



PTTAUTHM
PERPUSTAKAAN TUNKU TUN AMINAH

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
2.1	An overview of nanonetworks: (a) nano-electromagnetic communication, and (b) molecular communication	12
2.2	Molecular communication with (a) active transport, and (b) passive transport by diffusion	14
2.3	Diffusion-based molecular communication (DBMC) system	15
2.4	Multilayer structures: (a) an alveolar-blood capillary barrier, and (b) the stomach-blood barrier	21
3.1	Flowchart of the research activities	26
3.2	Block diagram of the research framework	27
3.3	A multilayer diffusion-based molecular communication (DBMC) system	28
3.4	Flowchart of simulation steps using N3Sim simulator	29
3.5	Multilayer DBMC channel over the air-water-blood plasma medium (a) a physical system, and (b) the simplified representation	33
4.1	(a) Ohm's circuit law and (b) the equivalent relationship between the radial diffusive flux and the concentration difference of molecules	39
4.2	Multilayer diffusion: (a) a thin interlayer between n thick different mediums and (b) its equivalent circuit	40
4.3	(a) Impulse transmission sequence with symbol interval, T_s and, (b) the response of mean molecular concentration due to impulsive transmission	47
4.4	(a) A square pulse molecules transmission with pulse duration, T_b and average amplitude of Q_{ave} and, (b) output response of mean molecular concentration due to a square pulse molecules transmission	49
4.5	Information-theoretic diagram of multilayer DBMC system	53
4.6	Venn diagram of the mutual information between the input signal X and output signal Y	54

5.1	Multilayer diffusion: (a) an alveolar-blood barrier and, (b) the simplified multilayer representation	60
5.2	Channel impulse responses for air, water, blood plasma, water-blood plasma and air-water-blood plasma mediums with a separation distance of $r = 45 \mu\text{m}$	61
5.3	Mean molecular concentration at the RN location, for a pulse transmission of 5×10^5 molecules through single layer medium with diffusion coefficient, D of $1 \text{ nm}^2/\text{ns}$ (ionic calcium in the cytoplasm) and transmission distance of $3 \mu\text{m}$	63
5.4	Analytical and simulation results of mean molecular concentration at the RN sensing volume, for the transmission of 2×10^5 molecules through water-blood plasma and air-water-blood plasma mediums with the transmission distance of $45 \mu\text{m}$	64
5.5	Analytical and simulation results of mean number of received molecules at the RN sensing volume, for the transmission of 2×10^5 molecules through water-blood plasma and air-water-blood plasma propagation mediums with the transmission distance of $45 \mu\text{m}$	66
5.6	Mean number of received molecules at the RN ($r = 45 \mu\text{m}$) over the water (D_{water}), blood plasma (D_{blood}), and water-blood plasma mediums with different fractions of layer thicknesses ($D_{\text{av},1}$, $D_{\text{av},2}$, and $D_{\text{av},3}$)	67
5.7	Mean number of received molecules at the RN ($r = 45 \mu\text{m}$) over the air (D_{air}), blood plasma (D_{blood}), and air-blood plasma mediums with different fractions of layer thicknesses ($D_{\text{av},1}$, $D_{\text{av},2}$, and $D_{\text{av},3}$)	67
5.8	Mean number of received molecules at the RN over the water-blood plasma medium ($f_1 = f_2 = 0.5$) when (a) doubling the TN–RN distance from $45 \mu\text{m}$ to $90 \mu\text{m}$ and, (b) halving the TN–RN distance from $45 \mu\text{m}$ to $22.5 \mu\text{m}$	70
5.9	Mean number of received molecules at the RN over the air-blood plasma medium ($f_1 = f_2 = 0.5$) when (a) doubling the TN–RN distance from $45 \mu\text{m}$ to $90 \mu\text{m}$ and, (b) halving the TN–RN distance from $45 \mu\text{m}$ to $22.5 \mu\text{m}$	71
5.10	Mean number of received molecules at the RN over the air-water-blood plasma medium ($f_1 = f_2 = f_3 = 1/3$) when (a) doubling the TN–RN distance from $45 \mu\text{m}$ to $90 \mu\text{m}$ and, (b) halving the TN–RN distance from $45 \mu\text{m}$ to $22.5 \mu\text{m}$	72



- 5.11 Mean number of received molecules at the RN over the water-blood plasma medium ($f_1 = f_2 = 0.5$) for $45 \mu\text{m}$ of the TN–RN distance when varying the number of transmitted molecules from 2×10^5 to 4×10^5 and 8×10^5 molecules 73
- 5.12 Mean number of received molecules at the RN over the air-blood plasma medium ($f_1 = f_2 = 0.5$) for $45 \mu\text{m}$ of the TN–RN distance when varying the number of transmitted molecules from 2×10^5 to 4×10^5 and 8×10^5 molecules 74
- 5.13 Mean number of received molecules at the RN over the air-water-blood plasma medium ($f_1 = f_2 = f_3 = 1/3$) for $45 \mu\text{m}$ of the TN–RN distance when varying the number of transmitted molecules from 2×10^5 to 4×10^5 and 8×10^5 molecules 74
- 5.14 Normalized mean molecular concentration at the RN for $45 \mu\text{m}$ of the TN–RN distance, over the air-water-blood plasma ($D_{av,1}$), air-air-blood plasma ($D_{av,2}$), and air-air-water plasma ($D_{av,3}$) mediums with layer fraction of $f_1 = f_2 = f_3 = 1/3$ due to (a) an impulsive transmission of molecules, and (b) a square pulse transmission of molecules with $T_b = 5 \text{ s}$ 76
- 5.15 Normalized mean molecular concentration at the RN over the air-water-blood plasma medium with equal layer fraction ($f_1 = f_2 = f_3 = 1/3$) when increasing the TN–RN distance from $22.5 \mu\text{m}$ to $30 \mu\text{m}$ and $45 \mu\text{m}$ due to (a) an impulsive transmission and, (b) a square pulse transmission with $T_b = 5 \text{ s}$ 79
- 5.16 Normalized mean molecular concentration at the RN for $45 \mu\text{m}$ of the TN–RN distance, over the air-water-blood plasma medium with equal layer fraction ($f_1 = f_2 = f_3 = 1/3$) when increasing the number or transmitted molecules from 2×10^5 to 4×10^5 and 8×10^5 due to (a) an impulsive transmission and, (b) a square pulse transmission with $T_b = 5 \text{ s}$ 81
- 5.17 Normalized mean molecular concentration at the RN for $45 \mu\text{m}$ of the TN–RN distance, over the air-water-blood plasma medium with equal layer fraction ($f_1 = f_2 = f_3 = 1/3$) for a square pulse transmission with different pulse width, T_p of transmitted bit, T_b 82



5.18	Transfer function Fourier transform of channel impulse response over the air-water-blood plasma medium ($f_1 = f_2 = f_3 = 1/3$) for 30 μm , 50 μm and 100 μm of the TN–RN distances	84
5.19	Capacity for various TN-RN distances as a function of bandwidth over the air-water-blood plasma medium ($f_1 = f_2 = f_3 = 1/3$)	86
5.20	Capacity for various transmission bandwidths as a function of TN-RN distance over the air-water-blood plasma medium ($f_1 = f_2 = f_3 = 1/3$)	87
5.21	Capacity for various layer fractions as a function of TN-RN distance over the air-water-blood plasma medium	88
5.22	Capacity for various average transmitted powers as a function of bandwidth over the air-water-blood plasma medium ($f_1 = f_2 = f_3 = 1/3$)	89
A.1	Steady-state diffusion in one dimensional	104
B.1	Nonsteady-state diffusion in one dimensional	107



LIST OF ABBREVIATIONS

BANs	-	Body Area Nanonetworks
dB	-	Decibel
C	-	Celcius
CSK	-	Concentration Shift Keying
DBMC	-	Diffusion-Based Molecular Communication
Hz	-	Hertz
IoBNT	-	Internet of Bio-Nano Things
ISI	-	Inter-Symbol Interference
MoSK	-	Molecule Shift Keying
OOK	-	On-Off Keying
ODE	-	Ordinary Differential Equation
PAM	-	Pulse Amplitude Modulation
PDE	-	Partial Differential Equation
RN	-	Receiver Nanomachine
TN	-	Transmitter Nanomachine
W	-	Watt

LIST OF SYMBOLS

$\delta(r)$	-	Dirac's delta function of the source location
$\delta(t)$	-	Dirac's delta function of the source time
η	-	Dynamic viscosity of the fluidic medium
η_{air}	-	Dynamic viscosity of air
η_{water}	-	Dynamic viscosity of water
η_{blood}	-	Dynamic viscosity of blood plasma
τ_h	-	Channel delay spread
$*$	-	Convolution operation
$v_0 - v_1$	-	Voltage difference
∇^2	-	Laplacian operator
$\frac{\partial}{\partial x}\hat{i} + \frac{\partial}{\partial y}\hat{j} + \frac{\partial}{\partial z}\hat{k}$	-	Three-dimensional gradient operator
$\frac{\partial c(r, t)}{\partial r}$	-	Molecular concentration gradient
$\frac{\partial c(r, t)}{\partial t}$	-	Time rate changes in molecular concentration
$\frac{dc(r, t)}{dt}$	-	First time derivative of mean molecular concentration
ℓ	-	Total thickness of the propagation medium
ℓ/D	-	Diffusive resistance of the medium
ℓ_i/D_i	-	Diffusive resistance of the i -layer
ℓ_i/ℓ	-	Fraction of the i -layer
Δc	-	Cocentration difference of molecules
Δr	-	Membrane thickness
$c(x, y, z, t)$	-	Mean molecular concentration in three dimensional space at time t
$c(r, t)$	-	Mean molecular concentration
$c(r_0, t)$	-	Concentration of molecules at the location of TN

$c(r_0 + \ell, t)$	-	Concentration of molecules at the location of RN
$c(r, t)_{max}$	-	Channel attenuation, or maximum peak of mean molecular concentration
$c_r(r, t)$	-	First space derivative of mean molecular concentration
$c_{rr}(r, t)$	-	Second space derivative of mean molecular concentration
$c_t(r, t)$	-	First time derivative of mean molecular concentration
$c_t(\omega, t)$	-	First time derivative of Laplace transforms of $C(\omega, t)$
$erfc$	-	Complementary error function
f_i	-	Fraction of the i -layer
$f_x(x)$	-	Probability density function of all the possible transmitted signal X
$h(r, f)$	-	Transfer function Fourier transform of the channel impulse response
$h(r, t)$	-	Channel impulse response
i	-	An integer 1, 2, 3, ...
$inverfc$	-	Inverse operation of the complementary error function
k	-	Partition coefficient of membrane
k_B	-	Boltzmann constant
n	-	Number of layers
r	-	Transmission distance or TN-RN distance
r_m	-	Radius of molecules
r_s	-	Radius of receiver sensing volume
$s(r, t)$	-	Mean number of received molecules
t	-	Time
t_d	-	Time delay
A	-	Area
C	-	Channel capacity
D	-	Diffusion coefficient
D_{av}	-	Average diffusion coefficient
D_i	-	Diffusion coefficient of the i -layer
$H(X)$	-	Entropy per second of the transmitted signal X

$H(Y)$	-	Entropy per second of the received signal Y
$H(\hat{Q})$	-	Entropy of the number of transmitted molecules per time sample of the time function signal $Q(t)$
$H(X, Y)$	-	Joint entropy per second of the transmitted signal X and the received signal Y
$H(X Y)$	-	Conditional entropy per second of the transmitted signal X given the received signal Y
I	-	Current
$I(X; Y)$	-	Mutual information
J	-	Flux or diffusion rate per unit area
$J(x, t)$	-	Net diffusion flux at x and at time t
$J(x + \ell, t)$	-	Net diffusion flux at $x + \ell$ and at time t
$J(r, t)$	-	Net radial diffusion flux
$\vec{J}(x, y, z, t)$	-	Flux vector in three dimensional space at time t
$N(x, t)$	-	Molecules at position x and time t
$N(x + \delta, t)$	-	Molecules at position $x + \delta$ and time t
dN	-	Net number of particles
P	-	Permeability coefficient
\bar{P}_H	-	Average thermodynamic power in molecules transmission
Q	-	Total number of transmitted molecules
Q_0	-	Total number of transmitted molecules
Q_{ave}	-	Average number of transmitted molecules
$Q(t)$	-	Time function of molecule transmission
R	-	Resistance
R_b	-	Data rate of transmitted bits
T	-	Temperature
T_b	-	Pulse bit duration
T_s	-	Symbol duration or interval
V	-	Receiver sensing volume
dV	-	Differential volume
W	-	Bandwidth of the transmitted signal

X	-	Transmitted or input signal
Y	-	Received or output signal
$C(\omega, t)$	-	Fourier transforms of $c(r, t)$
$F(\omega)$	-	Fourier transforms of $\delta(r)$
$\overline{C}(\omega, s)$	-	Laplace transforms of $C(\omega, t)$
$\overline{F}(s)$	-	Laplace transforms of $\delta(t)$



PTTA UTHM
PERPUSTAKAAN TUNKU TUN AMINAH

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	The Fick's First Law of Diffusion	104
B	The Fick's Second Law of Diffusion	107
C	Solution of Diffusion Equation for an Impulsive Molecules Transmission	110
D	Solution of Diffusion Equation for a Time-Function Molecules Transmission	115
E	Solution of Multilayer Diffusion Equation for an Impulsive Molecules Transmission	120
F	Solution of Multilayer Diffusion Equation for a Time-Function Molecules Transmission	126
G	The Transfer Function Fourier Transform of Channel Impulse Response	132
H	Conditional Entropy per Second $H(X Y)$ of the Transmitted Signal X Given the Mean Molecular Concentration Y	136
I	List of Publications	137



CHAPTER 1

INTRODUCTION

1.1 Background

Rapid development in nanotechnology has motivated nanocommunication and nanonetworks of large numbers of nanoscale devices or nanomachines. Nanocommunication is a new research area where a communication process occurs between nanomachines. In a nanonetwork, a group of nanomachines is interconnected among them and expected to share information and coordinate activities to perform a specific task. With nanonetworks, the limited capabilities of a single nanomachine, such as only for computation, sensing, or actuation, can be expanded for executing more complex tasks and a wide range of applications. Interaction among networked nanomachines will allow the implementation of collaborative and synchronous tasks such as in-body drug delivery, disease treatments, and monitoring and controlling of environmental pollution [1].

Generally, nanocommunication can be realized through four different mechanisms, which are nanomechanical communication through mechanical contact, acoustic communication by using acoustic energy or pressure variations, nano-electromagnetic communication based on the modulation of terahertz electromagnetic waves, and molecular communication via transmission and reception of encoded information molecules [1]. However, both nano-electromagnetic communication and molecular communication have been envisioned as the two main options for wireless nanocommunication and nanonetworks [2]. Due to a small-scale, bio-compatible with the biological environment and energy efficiency of a molecular transceiver, molecular communication offers the most promising approaches for nanocommunication and nanonetworks among biological nanomachines as well as with the existing biological system [1,3–6]. Another reason is that molecular communication can be approached through the observation of existing natural phenomena in biology [2,7].

In the past decade, research activities have shown significant interests in the area of molecular communication to realize nanocommunication and nanonetworks. Numerous research efforts can be found in the literature to investigate the various models of molecular communication. Some of the proposed models are random walk [8,9], flow based or random walk with drift [10–12], diffusion based [2,3,12–15], diffusion-reaction based [16], walkway or active transport based [8, 17, 18] and collision based [19]. The performances of the proposed models are then analyzed in terms of channel capacity [9, 10], modulation schemes [9], normalized gain and delay [3], probability of reaching a receiver [17], transmission rate [11, 12, 15, 17, 18], mutual information [10, 11], noise [13], throughput and efficiency [14], signal attenuation and amplification [16], collision rate [19], and communication range [15].

Among the proposed channel models, molecular communication by diffusion or diffusion-based molecular communication (DBMC) with and without drift has been the focus of interest in the research community [20]. The DBMC channel model is chosen as it represents the most basic and widespread molecular communication architecture found in nature [21, 22]. The concept of congestion in the DBMC channel for drug delivery near the targeted or disease area is introduced in [20]. A drug delivery system model using the DBMC with drift for drug transportation over bloodstream to only unhealthy parts inside the body can be found in [23]. Recently, the concept of body area nanonetworks (BANs) with DBMC for healthcare applications has been introduced in [5]. Furthermore, the concept of the Internet of Bio-Nano Things (IoBNT), involving the DBMC model for intra-body communication can be found in [24]. It is expected that from the proposed IoBNT, a healthcare provider can retrieve certain intra-body status parameters, such as glucose, sodium, and cholesterol levels, and the presence of unwanted agent through bio-nano things inside the body by using the Internet connection. The term bio-nano things can be referred to any type of nanosystems including liposomes [25–27], dendrimers [28], metallic nanoparticles [29], polymeric nanoparticles [30], carbon nanotubes [31] and nanowires [32,33].

The current developments of nanotechnology in nanomedicine, tissue engineering, nanorobots, bio-sensor, bio-marker, and implant technologies have provided the possibilities of an intelligent system for an early disease detection and spontaneous targeted drug delivery in the treatment of human diseases in the near future. In these intelligent systems, a group of bio-nanomachines embedded in the human body or implanted under the skin are expected to communicate and cooperatively share information using molecular signals among each other or with the surrounding cells to perform a specific function such as synthesis the human health

condition, identifying the targeted drug delivery locations, and automatically control the amount and time of drug release. Moreover, the molecules of the drug are expected to be able to diffuse across a multilayer barrier or multiple environments towards the bloodstream as well as to the other parts inside the body or the infected area. Thus, a better understanding of how the drug's molecules diffusing over the body and its concentration over time are utmost important for an effective disease treatment with an optimum amount of drugs.

1.2 Problem Statement

In nanoscale communication, the DBMC has emerged as one of the most promising communication models, particularly for health monitoring and drug delivery applications. In the DBMC, a transmitter nanomachine (TN) translates a message into encoded molecules and transmits them to a propagation medium or channel by opening a molecular gate. The transmitted molecules are then propagated from the TN to a receiver nanomachine (RN) over the channel by a diffusion process via Brownian motion. The RN captures the encoded molecules propagating in the channel and finally decodes the captured molecules.

Although, numerous studies have been conducted to evaluate and analyze DBMC system, investigation on DBMC through a multilayer channel due to variations in the medium properties or medium temperature has had less attention. The propagation of molecules over various mediums and environments or more complex medium, such as intracellular environment and the human body needs to be considered [4]. In practice, the diffusion of molecules can occur over the several layers in the human body, for example, diffusion of oxygen and carbon dioxide over the alveolar-blood barrier in the respiratory system [34], diffusion of digested particles, nutrients or medicine across the stomach-blood barrier during the absorption process, and diffusion of water, oxygen, carbon dioxide and lipid-soluble molecules through the blood-brain barrier [34]. Additionally, a tissue, particularly an arterial wall, which has the different material properties in each layer, is commonly modeled as a multilayer medium [35,36].

However, no works have been reported throughout the literature that analytically modeled and evaluated the performance of multilayer DBMC channel from the perspective of communications and an information theory. It is still not

clear how molecules will propagate through the multilayer DBMC channel that is consisting of different medium properties or different medium temperature. Thus, it is utmost important to develop a mathematical model to predict the concentration profile over time and characterize how molecules will propagate over a multilayer channel. Modeling and analysis of molecules' propagation over a multilayer channel with different medium properties are important to be explored in order to support the future biomedical applications such as regulating the release of drugs over a multilayer structure of environment in living tissue, as well as for the BANs and IoBNT applications. Therefore, this research work is proposed to model and evaluate the performance of multilayer DBMC channel.

1.3 Research Objectives

The main objective of this research is to mathematically model and evaluate the performance of multilayer DBMC channel. This research study has the following specific objectives:

- (i) To develop a mathematical model of multilayer DBMC channel in deriving a closed-form expression of the mean molecular concentration at the RN location.
- (ii) To formulate channel characteristics of multilayer DBMC channel.
- (iii) To evaluate the performance of the multilayer DBMC channel generated from different medium properties.

1.4 Research Scopes

In order to achieve the objectives, the following scopes have been employed:

- (i) The research focuses on mathematical modeling of a point to point (a pair of nanomachines) DBMC channel without any noise sources or propagation impairments to derive the mean molecular concentration at the RN location over a multilayer channel. Furthermore, the propagation of molecules from the point-source TN to the point and passive RN is governed by the Fick's law of diffusion.

REFERENCES

1. Akyildiz, I. F., Brunetti, F. and Blaquez, C. Nanonetworks: A New Communication Paradigm. *Computer Networks*, 2008. 52(12): 2260–2279.
2. Akyildiz, I. F., Jornet, J. M. and Pierobon, M. Propagation Models for Nanocommunication Networks. *Proceedings of the Fourth European Conference on Antennas and Propagation (EuCAP)*. April 12-16, 2010. Barcelona, Spain: IEEE. 2010. 1–5.
3. Pierobon, M. and Akyildiz, I. F. A Physical End-to-End Model for Molecular Communication in Nanonetworks. *IEEE Journal on Selected Areas in Communications*, 2010. 28(4): 602–611.
4. Nakano, T., Moore, M. J., Fang, W., Vasilakos, A. V. and Jianwei, S. Molecular Communication and Networking: Opportunities and Challenges. *IEEE Transactions on Nano Bioscience*, 2012. 11(2): 135–148.
5. Atakan, B., Akan, O. B. and Balasubramaniam, S. Body Area Nanonetworks with Molecular Communications in Nanomedicine. *IEEE Communications Magazine*, 2012. 50(1): 28–34. 0163-6804.
6. Na-Rae, K. and Chan-Byoung, C. Novel Modulation Techniques Using Isomers as Messenger Molecules for Nano Communication Networks via Diffusion. *IEEE Journal on Selected Areas in Communications*, 2013. 31(12): 847–856.
7. Malak, D. and Akan, O. B. Molecular Communication Nanonetworks Inside Human Body. *Nano Communication Networks*, 2012. 3(1): 19–35.
8. Nakano, T., Moore, M., Enomoto, A., Suda, T., Koujin, T., Haraguchi, T. and Hiraoka, Y. A Cell-Based Molecular Communication Network. *Proceedings of the 1st International Conference on Bio Inspired Models of Network, Information and Computing Systems (BIONETICS 06)*. December 11-13, 2006. Cavalese, Italy: ACM. 2006. 1–1.
9. Nakano, T., Okaie, Y. and Jian-Qin, L. Channel Model and Capacity Analysis of Molecular Communication with Brownian Motion. *IEEE Communications Letters*, 2012. 16(6): 797–800.

10. Srinivas, K. V., Eckford, A. W. and Adve, R. Molecular Communication in Fluid Media: The Additive Inverse Gaussian Noise channel. *IEEE Transactions on Information Theory*, 2012. 58(7): 4678–4692.
11. Kadloor, S., Adve, R. S. and Eckford, A. W. Molecular Communication using Brownian Motion with Drift. *IEEE Transactions on Nano Bioscience*, 2012. 11(2): 89–99.
12. Farsad, N., Guo, W. and Eckford, A. W. Tabletop Molecular Communication: Text Messages Through Chemical Signals. *Plos One*, 2013. 8(12): 1–13.
13. Pierobon, M. and Akyildiz, I. F. Diffusion-Based Noise Analysis for Molecular Communication in Nanonetworks. *IEEE Transactions on Signal Processing*, 2011. 59(6): 2532–2547.
14. Nakano, T., Okaie, Y. and Vasilakos, A. V. Throughput and Efficiency of Molecular Communication between Nanomachines. *2012 IEEE Wireless Communications and Networking Conference (WCNC)*. April 1-4, 2012. Shanghai, China: IEEE. 2012. 704–708.
15. Mahfuz, M. U., Makrakis, D. and Mouftah, H. T. Sampling Based Optimum Signal Detection in Concentration-Encoded Molecular Communication: Receiver Architecture and Performance. *6th International Conference on Bio-inspired Systems and Signal Processing (BIOSIGNALS-2013)*. February 11-14, 2013. Barcelona, Spain: INSTICC. 2013. 372–376.
16. Nakano, T. and Jianwei, S. Repeater Design and Modeling for Molecular Communication Networks. *2011 IEEE Conference on Computer Communications Workshops (INFOCOM WKSHPS)*. April 10-15, 2011. Shanghai, China: IEEE. 2011. 501–506.
17. Moore, M. J., Suda, T. and Oiwa, K. Molecular Communication: Modeling Noise Effects on Information Rate. *IEEE Transactions on Nano Bioscience*, 2009. 8(2): 169–180.
18. Eckford, A. W., Farsad, N., Hiyama, S. and Moritani, Y. Microchannel Molecular Communication with Nanoscale Carriers: Brownian Motion versus Active Transport. *2010 10th IEEE Conference on Nanotechnology (IEEE-NANO)*. August 17-20, 2010. Seoul, Korea: IEEE. 2010. 854–858.
19. Guney, A., Atakan, B. and Akan, O. B. Mobile Ad Hoc Nanonetworks with Collision-Based Molecular Communication. *IEEE Transactions on Mobile Computing*, 2012. 11(3): 353–366.
20. Femminella, M., Reali, G. and Vasilakos, A. V. A Molecular Communications Model for Drug Delivery. *IEEE Transactions on NanoBioscience*, 2015. 14(8):

935–945.

21. Aijaz, A. and Aghvami, A.-H. Error Performance of Diffusion-Based Molecular Communication Using Pulse-Based Modulation. *IEEE Transactions on NanoBioscience*, 2015. 14(1): 146–151.
22. Pierobon, M. and Akyildiz, I. F. Capacity of a Diffusion-Based Molecular Communication System with Channel Memory and Molecular Noise. *IEEE Transactions on Information Theory*, 2013. 59(2): 942–954.
23. Chahibi, Y., Pierobon, M., Sang Ok, S. and Akyildiz, I. F. A Molecular Communication System Model for Particulate Drug Delivery Systems. *IEEE Transactions on Biomedical Engineering*, 2013. 60(12): 3468–3483.
24. Akyildiz, I. F., Pierobon, M., Balasubramaniam, S. and Koucheryavy, Y. The Internet of Bio-Nano Things. *IEEE Communications Magazine*, 2015. 53(3): 32–40.
25. Allen, T. M. and Cullis, P. R. Liposomal Drug Delivery Systems: From Concept to Clinical Applications. *Advanced Drug Delivery Reviews*, 2013. 65(1): 36–48.
26. Chude-Okonkwo, U. A. K., Malekian, R., Mharaj, B. T. and Olisah, C. C. Bio-Inspired Physical Layered Device Architectures for Diffusion-Based Molecular Communication: Design Issues and Suggestions. *Proceeding - 2015 IEEE International Conference on Industrial Informatics, INDIN 2015*. Julai 22-24, 2015. Cambridge: IEEE. 2015. 1472–1479.
27. Chude-Okonkwo, U. A. K., Malekian, R. and Maharaj, B. T. S. Molecular Communication Model for Targeted Drug Delivery in Multiple Disease Sites With Diversely Expressed Enzymes. *IEEE Transactions on NanoBioscience*, 2016. 15(3): 230–245.
28. Zhu, J. and Shi, X. Dendrimer-Based Nanodevices for Targeted Drug Delivery Applications. *Journal of Materials Chemistry B*, 2013. 1(34): 4199–4211.
29. Kogan, M. J., Olmedo, I., Hosta, L., Guerrero, A. R., Cruz, L. J. and Albericio, F. Peptides and Metallic Nanoparticles for Biomedical Applications. *Nanomedicine*, 2007. 2(3): 287–306.
30. Kamaly, N., Xiao, Z., Valencia, P. M., Radovic-Moreno, A. F. and Farokhzad, O. C. Targeted Polymeric Therapeutic Nanoparticles: Design, Development and Clinical Translation. *Chemical Society Reviews*, 2012. 41(7): 2971–3010.
31. Moore, T. L., Pitzer, J. E., Podila, R., Wang, X., Lewis, R. L., Grimes, S. W., Wilson, J. R., Skjervold, E., Brown, J. M., Rao, A. and Alexis, F.

- Multifunctional Polymer-Coated Carbon Nanotubes for Safe Drug Delivery. *Particle & Particle Systems Characterization*, 2013. 30(4): 365–373.
32. Pondman, K. M., Bunt, N. D., Maijenburg, A. W., van Wezel, R. J. A., Kishore, U., Abelmann, L., ten Elshof, J. E. and ten Haken, B. Magnetic Drug Delivery with FePd Nanowires. *Journal of Magnetism and Magnetic Materials*, 2015. 380: 299–306.
 33. Madsen, M. H., Krogstrup, P., Johnson, E., Venkatesan, S., Muhlbauer, E., Scheu, C., Sorensen, C. B. and Nygard, J. Experimental Determination of Adatom Diffusion Lengths for Growth of InAs Nanowires. *Journal of Crystal Growth*, 2013. 364: 16–22.
 34. Boron, W. F. and Boulpaep, E. L. *Medical Physiology*. 2nd ed. Philadelphia, PA: Saunders, Elsevier. 2011.
 35. McGinty, S. A Decade of Modelling Drug Release from Arterial Stents. *Mathematical Biosciences*, 2014. 257: 80–90.
 36. Pontrelli, G. and Monte, F. Mass Diffusion Through Two-Layer Porous Media: An Application to the Drug-eluting Stent. *International Journal of Heat and Mass Transfer*, 2007. 50: 3658–3669.
 37. Farsad, N., Yilmaz, H. B., Eckford, A., Chae, C.-B. and Guo, W. A Comprehensive Survey of Recent Advancements in Molecular Communication. *IEEE Communications Surveys & Tutorials*, 2016. PP(99): 1–34.
 38. ShahMohammadian, H., Messier, G. G. and Magierowski, S. Optimum Receiver for Molecule Shift Keying Modulation in Diffusion-Based Molecular Communication Channels. *Nano Communication Networks*, 2012. 3(3): 183–195.
 39. Garralda, N., Llatser, I., Cabellos-Aparicio, A., Alarcon, E. and Pierobon, M. Diffusion-Based Physical Channel Identification in Molecular Nanonetworks. *Nano Communication Networks*, 2011. 2(4): 196–204.
 40. Llatser, I., Pascual, I., Garralda, N., Cabellos-Aparicio, A., Pierobon, M., Alarcon, E. and Sole-Pareta, J. Exploring the Physical Channel of Diffusion-Based Molecular Communication by Simulation. *2011 IEEE Global Telecommunications Conference (GLOBECOM)*. December 5-9, 2011. Kathmandu: IEEE. 2011. 1–5.
 41. Pierobon, M. and Akyildiz, I. F. Noise Analysis in Ligand-Binding Reception for Molecular Communication in Nanonetworks. *IEEE Transactions on Signal Processing*, 2011. 59(9): 4168–4182.



42. Monson, R. and Baldocchi, D. *Terrestrial Biosphere-Atmosphere Fluxes*. New York: Cambridge University Press. 2014.
43. Crank, J. *The Mathematic of Diffusion*. 2nd ed. Great Britain: Oxford University Press. 1975.
44. Jornet, J. M. and Akyildiz, I. F. Information Capacity of Pulse-Based Wireless Nanosensor Networks. *2011 8th Annual IEEE Communications Society Conference on Sensor, Mesh and Ad Hoc Communications and Networks (SECON)*. June 27-30, 2011. Salt Lake City, UT: IEEE. 2011. 80–88.
45. Llatser, I., Cabellos-Aparicio, A., Pierobon, M. and Alarcon, E. Detection Techniques for Diffusion-Based Molecular Communication. *IEEE Journal on Selected Areas in Communications*, 2013. 31(12): 726–734.
46. Atakan, B., Galmes, S. and Akan, O. B. Nanoscale Communication with Molecular Arrays in Nanonetworks. *IEEE Transactions on Nano Bioscience*, 2012. 11(2): 149–160. 1536-1241.
47. Abadal, S. and Akyildiz, I. F. Bio-Inspired Synchronization for Nanocommunication Networks. *2011 IEEE Global Telecommunications Conference (GLOBECOM 2011)*. December 5-9, 2011. Houston, TX, USA: IEEE. 2011. 1–5.
48. Nakano, T., Okaie, Y. and Vasilakos, A. V. Transmission Rate Control for Molecular Communication among Biological Nanomachines. *IEEE Journal on Selected Areas in Communications*, 2013. 31(12): 835–846.
49. Jornet, J. M. and Akyildiz, I. F. Graphene-Based Nano-Antennas for Electromagnetic Nanocommunications in the Terahertz Band. *Proceedings of the Fourth European Conference on Antennas and Propagation*. April 12-16, 2010. Barcelona, Spain. 2010. 1–5.
50. Jornet, J. M. and Akyildiz, I. F. Channel Modeling and Capacity Analysis for Electromagnetic Wireless Nanonetworks in the Terahertz Band. *IEEE Transactions on Wireless Communications*, 2011. 10(10): 3211–3221.
51. Yalgashev, O., Bakhouya, M., Chariete, A., Gaber, J. and Manier, M. Electromagnetic-Based Nanonetworks Communication in SoC Design. *2015 International Conference on High Performance Computing & Simulation (HPCS)*. Amsterdam: IEEE. 2015. 364–370.
52. Atakan, B. and Akan, O. Carbon Nanotube Sensor Networks. *IEEE NanoCom*. August 2009. San Francisco, USA: IEEE. 2009.

53. Llatser, I., Kremers, C., Chigrin, D. N., Jornet, J. M., Lemme, M. C., Cabellos-Aparicio, A. and Alarcon, E. Characterization of Graphene-Based Nano-Antennas in the Terahertz Band. *2012 6th European Conference on Antennas and Propagation (EUCAP)*. Prague: IEEE. 2012. 194–198.
54. Deng, Y., Noel, A., Elakashlan, M., Nallanathan, A. and Cheung, K. C. Modeling and Simulation of Molecular Communication Systems with a Reversible Adsorption Receiver. *IEEE Transactions on Molecular, Biological and Multi-Scale Communications*, 2016. PP(99): 1–16.
55. Kilinc, D. and Akan, O. B. Receiver Design for Molecular Communication. *IEEE Journal on Selected Areas in Communications*, 2013. 31(12): 705–714.
56. ShahMohammadian, H. *System Design for Nano-Network Communications*. Ph.d. thesis. University of Calgary. 2013.
57. Mahfuz, M. U., Makrakis, D. and Mouftah, H. T. A Comprehensive Study of Sampling-Based Optimum Signal Detection in Concentration-Encoded Molecular Communication. *IEEE Transactions on Nanobioscience*, 2014. 13(3): 208–222.
58. Qiang, L., Kun, Y. and Peng, H. Channel Capacity Analysis for Molecular Communication with Continuous Molecule Emission. *2013 International Conference on Wireless Communications & Signal Processing (WCSP)*. October 24-26, 2013. Hangzhou, China: IEEE. 2013. 1–6.
59. Shojaie, A., Takhtfooladi, M. D. and Safaeinezhad, M. Bio-Inspired Diffusion Based Molecular Communication in Long-Range Nanonetworks. *Proceedings - 12th International Conference on Computational Science and Its Applications, ICCSA 2012*. June 18-21, 2012. Salvador: IEEE. 2012. 63–66.
60. Kuran, M. S., Yilmaz, H. B., Tugcu, T. and Akyildiz, I. F. Interference Effects on Modulation Techniques in Diffusion Based Nanonetworks. *Nano Communication Networks*, 2012. 3(1): 65–73.
61. Kuscu, M. and Akan, O. B. On the Physical Design of Molecular Communication Receiver Based on Nanoscale Biosensors. *IEEE Sensors Journal*, 2016. 16(8): 2228–2243.
62. Kilinc, D. and Akan, O. B. An Information Theoretical Analysis of Nanoscale Molecular Gap Junction Communication Channel Between Cardiomyocytes. *IEEE Transactions on Nanotechnology*, 2013. 12(2): 129–136.
63. Unluturk, B. D., Pehlivanoglu, E. B. and Akan, O. B. Molecular Channel Model with Multiple Bit Carrying Molecules. *2013 First International Black*

- Sea Conference on Communications and Networking (BlackSeaCom)*. July 3-5, 2013. Batumi, Georgia: IEEE. 2013. 79–83.
64. Berg, H. C. *Random Walks in Biology*. Princeton: Princeton University Press. 1993.
 65. ShahMohammadian, H., Messier, G. G. and Magierowski, S. Nano-Machine Molecular Communication over a Moving Propagation Medium. *Nano Communication Networks*, 2013. 4(3): 142–153.
 66. Pica, E. M. and Jantschi, L. Simulation of Diffusion Equation. *Acta Technica Napocensis, series Applied Mathematics and Mechanics*, 1999. II(42): 47–54.
 67. Dressler, F. and Fischer, S. Connecting In-Body Nano Communication with Body Area Networks: Challenges and Opportunities of the Internet of Nano Things. *Nano Communication Networks*, 2015. 6(2): 29–38.
 68. Mahfuz, M. U., Makrakis, D. and Mouftah, H. T. On the Characterization of Binary Concentration-Encoded Molecular Communication in Nanonetworks. *Nano Communication Networks*, 2010. 1(4): 289–300.
 69. Qiang, L. and Kun, Y. Channel Capacity Analysis of a Diffusion-Based Molecular Communication System with Ligand Receptors. *International Journal of Communication Systems*, 2015. 28(8): 1508–1520.
 70. Atakan, B. and Akan, O. B. An Information Theoretical Approach for Molecular Communication. *Proceedings of the Bio-Inspired Models of Network, Information and Computing Systems (BIONETICS 2007)*. December 10-12, 2007. Budapest: IEEE. 2007. 33–40.
 71. Atakan, B. and Akan, O. B. Deterministic Capacity of Information Flow in Molecular Nanonetworks. *Nano Communication Networks*, 2010. 1(1): 31–42.
 72. NanoNetworking Center in Catalunya. N3Sim: A Simulation Framework for Diffusion-Based Molecular Communication. Retrieved on January 1, 2014, from <http://www.n3cat.upc.edu/n3sim>.
 73. Llatser, I., Demiray, D., Cabellos-Aparicio, A., Altılar, D. T. and Alarcon, E. N3Sim: Simulation Framework for Diffusion-Based Molecular Communication Nanonetworks. *Simulation Modelling Practice and Theory*, 2014. 42: 210–222.
 74. Freitas, J. R. A. *Nanomedicine, Volume I: Basic Capabilities*. Georgetown, Texas, U.S.A: Landes Biosciences. 1999.
 75. Mahfuz, M. U., Makrakis, D. and Mouftah, H. T. Characterization



- of Molecular Communication Channel for Nanoscale Networks. *3rd International Conference on Bio-inspired Systems and Signal Processing (BIOSIGNALS 2010)*. January 20-23, 2010. Valencia, Spain: INSTICC. 2010. 327–332.
76. Noel, A., Cheung, K. C. and Schober, R. Improving Receiver Performance of Diffusive Molecular Communication with Enzymes. *IEEE Transactions on NanoBioscience*, 2014. 13(1): 31–43.
 77. Mahfuz, M. U., Makrakis, D. and Mouftah, H. T. Strength-Based Optimum Signal Detection in Concentration-Encoded Pulse-Transmitted OOK Molecular Communication with Stochastic Ligand-Receptor Binding. *Simulation Modelling Practice and Theory*, 2014. 42: 189–209.
 78. Pierobon, M. and Akyildiz, I. F. A Statistical-Physical Model of Interference in Diffusion-Based Molecular Nanonetworks. *IEEE Transactions on Communications*, 2014. 62(6): 2085–2095.
 79. Pierobon, M. and Akyildiz, I. F. Information Capacity of Diffusion-based Molecular Communication in Nanonetworks. *2011 Proceedings IEEE Conference on Computer Communications Workshops (INFOCOM)*. April 10-15, 2011. Shanghai, China: IEEE. 2011. 506–510.
 80. Mahfuz, M. U., Makrakis, D. and Mouftah, H. T. Characterization of Intersymbol Interference in Concentration-Encoded Unicast Molecular Communication. *2011 24th Canadian Conference on Electrical and Computer Engineering (CCECE)*. May 8-11, 2011. Niagara Falls, ON: IEEE. 2011. 164–168.
 81. Ahmadzadeh, A., Noel, A. and Schober, R. Analysis and Design of Two-Hop Diffusion-Based Molecular Mommunication Networks. *IEEE Transactions on Molecular, Biological, and Multi-Scale Communications*, 2015. 1(2): 144–157.
 82. Lodish, H., Berk, A., Zipursky, S. L., Matsudaira, P., Baltimore, D. and Darnell, J. *Molecular Cell Biology*. 4th ed. New York: W. H. Freeman. 2000.
 83. Rhoades, R. A. and Bell, D. R. *Medical Physiology: Principles for Clinical Medicine*. 4th ed. Philadelphia, PA: Lippincott Williams & Wilkins. 2013.
 84. Blaustein, M. P., Kao, J. P. Y. and Matteson, D. R. *Cellular Physiology and Neurophysiology*. 2nd ed. Philadelphia, PA: Mosby Physiology Monograph. 2012.
 85. Rubenstein, D. A., Yin, W. and Frame, M. D. *Biofluid Mechanics: An Introduction to Fluid Mechanics, Macrocirculation, and Microcirculation*.



- United States of America: Academic Press Elsevier. 2012.
86. Hoskins, R. F. *Delta Functions: Introduction to Generalised Functions*. 2nd ed. Cambridge, UK: Woodhead Publishing Limited. 2009.
 87. Spiegel, M. R., Lipschutz, S. and Liu, J. *Mathematical Handbook of Formulas and Tables*. 3rd ed. United States of America: McGraw-Hill Schaums's Outline. 2009.
 88. Mohamed, A.-M. O. *Principles and Applications of Time Domain Electrometry in Geoenvironmental Engineering*. CRC Press. 2006.
 89. Rappaport, T. S. *Wireless Communications: Principles and Applications*. 2nd ed. Upper Saddle River, NJ: Prentice Hall PTR. 2002.
 90. Blair, J. M., Edwards, C. A. and Johnson, J. H. Rational Chebyshev Approximations for the Inverse of the Error Function. *Mathematics of Computation*, 1976. 30(136): 827–830.
 91. Shanon, C. E. A Mathematical Theory of Communication. *Bell System Technical Journal*, 1948. 27: 379–423.
 92. Cover, T. M. and Thomas, J. A. *Elements of Information Theory*. 2nd ed. New York: John Wiley and Sons. 2006.
 93. Mandelis, A. *Diffusion-Wave Fields: Mathematical Methods and Green Functions*. New York: Springer Science+Business Media. 2001.
 94. Nakano, T., Eckford, A. W. and Haraguchi, T. *Molecular Communications*. New York: Cambridge University Press. 2013.
 95. Einolghozati, A., Sardari, M. and Fekri, F. Relaying in Diffusion-Based Molecular Communication. *2013 IEEE International Symposium on Information Theory Proceedings (ISIT)*. July 7-12, 2013. Istanbul, Turkey: IEEE. 2013. 1844–1848.
 96. Nelson, D. L. and Cox, M. M. *Lehninger Principles of Biochemistry*. San Francisco, CA: Freeman. 2005.
 97. Padma, M. and Krishnaiah, G. Lie Detection Using Spectral Analysis on Raw EEG Signal with Brain Wave Sensor. *International Journal of Engineering Science and Computing*, 2015: Article in press. 1622–1625. DOI: 10.4010/2015.405.
 98. Morse, P. M. and Feshbach, H. *Methods of Theoretical Physics*. New York: McGraw-Hill. 1953.